

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 10/02/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code	 Mixture HG patio-tile cleaner 183 ART
Type of product	: Detergent
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Consumer use
Use of the substance/mixture	: Products for heavy duty cleaning of stone and similar surface including outdoor pavements,
	pathways, headstones, …

1.2.2. Uses advised against

Restrictions on use

: All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

Manufacturer	
HG International B.V.	

HG International B.V. P.J. Oudweg 41 NL– 1314 CJ Almere The Netherlands T +31 (0)36 54 94 700 <u>safety@hg.eu</u> - <u>www.hg.eu</u> Importer HG UKI LTD Weston Business Centre Parsonage Road UK– CM22 6PU Takeley – Essex United Kingdom T +44 (0) 1206 822 744 www.hg.eu

1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification	of the	substance	or mixture	

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

Safety Data Sheet

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS05
Signal word (CLP)	: Danger
Contains	: potassium hydroxide; caustic potash
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P280 - Wear protective gloves, eye protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Child-resistant fastening	: Applicable
Tactile warning	: Applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
potassium hydroxide; caustic potash	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	≥5-<7	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318
Tetrapotassium pyrophosphate	CAS-No.: 7320-34-5 EC-No.: 230-785-7 REACH-no: 01-2119489369- 18	≥5 - <7	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Sodium p-cumenesulphonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411- 37	≥2 - <5	Eye Irrit. 2, H319
Alcohols, C10-12, ethoxylated propoxylated	CAS-No.: 68154-97-2 EC-No.: 614-340-8	≥1 - <2	Eye Irrit. 2, H319
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	≥1 - <2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
potassium hydroxide; caustic potash	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	(0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	(1 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : Call a physician immediately. First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. : First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately. First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after skin contact : Burns. Symptoms/effects after eye contact : Serious damage to eyes. : Burns. Symptoms/effects after ingestion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Hazardous decomposition products in case of fire	 Intense heat may cause container to burst. Carbon dioxide. Carbon monoxide. Sulphur oxides. Phosphorus oxides. Metallic oxides.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures
6.1.1 For non-emergency personnel

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Evacuate unnecessary personnel. Do not touch or walk on the spilled product. Avoid contact with skin and eyes. Do not breathe mist, vapours.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for con	tainment and cleaning up
For containment	: Stop leak if safe to do so. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe mist, vapours. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Acids. : > 0 – < 30 °C
Storage temperature Heat and ignition sources	: Keep away from heat and direct sunlight.
Special rules on packaging	 Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage.

700	pecific	 	(_)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

potassium hydroxide; caustic potash (1310-58-3)	
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use. If there is a risk of liquid being splashed : Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345
Use chemically protective clothing	EN 13034

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Respiratory protection			
Device	Filter type	Condition	Standard
Half-mask	FFA2P3	Mist formation, Vapour protection	EN 405
Dust mask	FFFP2	Dust protection	EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

SECTION 9: Physical and chemical properties

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Contact with acids liberates toxic gas.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inform	nation
11.1 Information on toxicological effe	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
Alcohols, C10-12, ethoxylated propos	xylated (68154-97-2)
LD50 oral rat	> 2000 mg/kg (OECD 401 method)
Sodium p-cumenesulphonate (15763	-76-5)
LD50 oral rat	≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503
Tetrapotassium pyrophosphate (732	0-34-5)
LD50 oral rat	300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure), Remarks on results: other:
LD50 dermal rabbit	 > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.1 mg/l air Animal: rat, Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:, Guideline: other:, Guideline: other:
Isotridecanol, ethoxylated (69011-36-	-5)
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other:
Skin corrosion/irritation	: Causes severe skin burns. pH: > 14
Alcohols, C10-12, ethoxylated propo	
рН	5.5
potassium hydroxide; caustic potash	ו (1310-58-3)
рН	≈ 13.5 Temp.: 25 °C Concentration: 5,611 g/L Remarks on result: 'other:'
Serious eye damage/irritation	: Causes serious eye damage. pH: > 14
Alcohols, C10-12, ethoxylated propos	xylated (68154-97-2)
рН	5.5
potassium hydroxide; caustic potash	1 (1310-58-3)
рН	≈ 13.5 Temp.: 25 °C Concentration: 5,611 g/L Remarks on result: 'other:'

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Respiratory or skin sensitisation:Germ cell mutagenicity:Carcinogenicity:	Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
Sodium p-cumenesulphonate (15763-76-5)	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity :	Not classified (Conclusive but not sufficient for classification)
STOT-single exposure :	Not classified (Conclusive but not sufficient for classification)
STOT-repeated exposure :	Not classified (Conclusive but not sufficient for classification)
Sodium p-cumenesulphonate (15763-76-5)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)
Tetrapotassium pyrophosphate (7320-34-5)	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
Isotridecanol, ethoxylated (69011-36-5)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
Aspiration hazard :	Not classified (Conclusive but not sufficient for classification)
potassium hydroxide; caustic potash (1310-	58-3)
Viscosity, kinematic	1.252 mm²/s
·	

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short–term : (acute)	Before neutralisation, the product may represent a danger to aquatic organisms. Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
Alcohols, C10-12, ethoxylated propoxylated (6	8154-97-2)
EC50 - Crustacea [1]	> 1 – 10 mg/l Daphnia magna (OECD 202 method)
EC50 72h - Algae [1]	> 1 – 10 mg/l Desmodesmus subspicatus (OECD 201 method)
Sodium p-cumenesulphonate (15763-76-5)	
LC50 - Fish [1]	≥ 1580 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1020 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Tetrapotassium pyrophosphate (7320-34-5)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isotridecanol, ethoxylated (69011-36-5)			
LC50 - Fish [1]	> 1 mg/l		
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	> 1 mg/l waterflea		
EC50 96h - Algae [1]	11.5 mg/l Source: EPISUITE v4.1		
potassium hydroxide; caustic potash (1310-5	8-3)		
LC50 - Fish [1]	80 mg/l		
12.2. Persistence and degradability			
HG patio-tile cleaner			
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.		
12.3. Bioaccumulative potential			
HG patio-tile cleaner			
Bioaccumulative potential	No bioaccumulation expected.		
Alcohols, C10-12, ethoxylated propoxylated (68154-97-2)		
Partition coefficient n-octanol/water (Log Pow) 4.98 Source: Quantitative Structure Activity Relation			
Tetrapotassium pyrophosphate (7320-34-5)	Tetrapotassium pyrophosphate (7320-34-5)		
Partition coefficient n-octanol/water (Log Pow) -2			
potassium hydroxide; caustic potash (1310-5	8-3)		
Partition coefficient n-octanol/water (Log Pow)	0.75		
12.4. Mobility in soil			
HG patio-tile cleaner			
Ecology - soil	Expected to be highly mobile in soil.		
Isotridecanol, ethoxylated (69011-36-5)	Isotridecanol, ethoxylated (69011-36-5)		
Mobility in soil	111.3 Source: EPISUITE v4.1		
12.5. Results of PBT and vPvB assessment			
HG patio-tile cleaner			
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII			
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
12.6. Other adverse effects			

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Dispose of in accordance with relevant local regulations.	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.	
Ecology - waste materials	: Recycling is preferred to disposal or incineration.	
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances 20 01 39 - plastics	
HP Code	: HP8 - "Corrosive:" waste which on application can cause skin corrosion.	

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number			•	1
UN 3267	UN 3267	UN 3267	UN 3267	UN 3267
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (potassium hydroxide; caustic potash)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (potassium hydroxide; caustic potash)	Corrosive liquid, basic, organic, n.o.s. (potassium hydroxide; caustic potash)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (potassium hydroxide; caustic potash)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S (potassium hydroxide; caustic potash)
Transport document descr	iption		·	
UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (potassium hydroxide; caustic potash), 8, III, (E)	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (potassium hydroxide; caustic potash), 8, III	UN 3267 Corrosive liquid, basic, organic, n.o.s. (potassium hydroxide; caustic potash), 8, III	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (potassium hydroxide; caustic potash), 8, III	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIO N.O.S. (potassium hydroxide; caustic potash) 8, III
14.3. Transport hazard o	:lass(es)		1	I
8	8	8	8	8
*	B	R R	B	B
14.4. Packing group			1	I
III	III	III	III	III
14.5. Environmental haz	ards		1	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary informatio	n available		1	
14.6. Special precaution	s for user			
Overland transport				
Classification code (ADR) Special provisions (ADR)	: C7 : 274			

Limited quantities (ADR)

: P001, IBC03, LP01, R001

: 51

: E1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

according to Regulation (EC) No. 1907/2006 (REACH) with	its amendment Regulation (EU) 2020/878
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions	: TP1, TP28
(ADR)	
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	
	80
	3267
Tunnel restriction code (ADR)	: E
EAC code	: 2X
Towns and have a set	
Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01 : IBC03
IBC packing instructions (IMDG)	
Tank instructions (IMDG) Tank special provisions (IMDG)	: T7 : TP1, TP28
,	
EmS-No. (Fire) EmS-No. (Spillage)	: F-A : S-B
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG18, SG35
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L
Inland waterway transport	
· ·	
Classification code (ADN)	: C7
. ,	: C7 : 274
Classification code (ADN) Special provisions (ADN) Limited quantities (ADN)	
Special provisions (ADN)	: 274
Special provisions (ADN) Limited quantities (ADN)	: 274 : 5 L
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN)	: 274 : 5 L : E1
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN)	: 274 : 5 L : E1 : T
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN)	: 274 : 5 L : E1 : T : PP, EP
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN)	: 274 : 5 L : E1 : T : PP, EP
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID)	: 274 : 5L : E1 : T : PP, EP : 0 : C7
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport	: 274 : 5L : E1 : T : PP, EP : 0
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID)	: 274 : 5 L : E1 : T : PP, EP : 0 : C7 : 274 : 5L
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Special provisions (RID)	: 274 : 5 L : E1 : T : PP, EP : 0 : C7 : 274
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID)	: 274 : 5 L : E1 : T : PP, EP : 0 : C7 : 274 : 5L
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID)	: 274 : 5 L : E1 : T : PP, EP : 0 : C7 : 274 : 5L : E1
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID)	: 274 : 5 L : E1 : T : PP, EP : 0 : C7 : 274 : 5L : E1 : P001, IBC03, LP01, R001 : MP19 : T7
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions	: 274 : 5 L : E1 : T : PP, EP : 0 : C7 : 274 : 5L : E1 : P001, IBC03, LP01, R001 : MP19
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID)	: 274 : 5 L : E1 : T : PP, EP : 0 : C7 : 274 : 5L : E1 : P001, IBC03, LP01, R001 : MP19 : T7 : TP1, TP28
Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions	: 274 : 5 L : E1 : T : PP, EP : 0 : C7 : 274 : 5L : E1 : P001, IBC03, LP01, R001 : MP19 : T7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
phosphates	≥5-<15%
non-ionic surfactants, anionic surfactants, phosphonates <5%	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and	Abbreviations and acronyms:	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Training advice

: Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Normal use of this product shall imply use in accordance with the instructions on the packaging.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.